



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Application

Applicant(s): P.T. Keyser et al.

Docket No.:

YOR920000048

Serial No.: Filing Date: 09/624,963 July 25, 2000

Group:

2178

Examiner:

Londra C. Burge

Title:

Methods and Apparatus for Automatic

Page Break Detection

I hereby certify that this paper is being deposited on this date with the U.S. Postal Service as first class mail addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

RECEIVED

JAN 1 6 2004

Technology Center 2100

AMENDMENT TRANSMITTAL

Mail Stop Non-Fee Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

Submitted herewith are the following documents relating to the above-identified patent application:

- (1) Amendment and Response to Office Action;
- (2) Transmittal of Formal Drawings; and
- (3) Formal Drawings (11 sheets).

There is no additional fee due in conjunction with the Amendment. non-payment or improper payment of a required fee, the Commissioner is authorized to charge or to credit International Business Machines Corporation Deposit Account No. 50-

to correct the error.

Respectfully submitted,

Date: January 12, 2004

William E. Lewis

Attorney for Applicant(s)

Reg. No. 39,274

Ryan, Mason & Lewis, LLP

90 Forest Avenue

Locust Valley, NY 11560

(516) 759-2946



Patent Application

Applicant(s): P.T. Keyser et al.

Docket No.:

YOR920000048

Serial No.: Filing Date:

09/624,963 July 25, 2000

Group:

2178

Examiner:

Londra C. Burge

Title:

Methods and Apparatus for Automatic

Page Break Detection

I hereby certify that this paper is being deposited on this date with the U.S. Postal Service as first class mail addressed to the Commissioner for Patents, P.O. Box 1450,

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

RECEIVED

JAN 1 6 2004

Technology Center 2100

AMENDMENT AND RESPONSE TO OFFICE ACTION

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

In response to the outstanding Office Action dated December 18, 2003, please amend the above-identified application as follows: